


Title		
Size	Number	Revision
A4		
Date:	2011/2/23	Sheet of
File:	C:\Users\... \NOKIA.SchDoc	Drawn By:



SOLID

www.soliddigi.com

Comment	Description	Designator	Footprint	LibRef	Quantity
1nF	Capacitor	C1	0603	cap	1
0.1uF	Capacitor	C2	0603	cap	1
100uF/16V	Polarized Capacitor (Radial)	C3	C6032	cap POL1	1
BBRA140	Default Diode	D1	D1206	DIODE	1
ANALOG	Header, 6-Pin	J1	HDR1X6	Header 6	1
POWER	Header, 6-Pin	J2	HDR1X6	Header 6	1
DIGITAL_8_13	Header, 8-Pin	J3	HDR1X8	Header 8	1
DITIGTAL_0_7	Header, 8-Pin	J4	HDR1X8	Header 8	1
220uH	Inductor	L1	L 7*7	INDUCTOR	1
3.3K	Resistor	R1, R5, R7, R9, R11	0603	res2	5
15K	Resistor	R2	0603	res2	1
180	Resistor	R3	0603	res2	1
0.27	Resistor	R4	0603	res2	1
1.8K	Resistor	R6, R8, R10, R12	0603	res2	4
33	Resistor	R13	0603	res2	1
SW-PB		S1, S2, S3	key	SW-PB	3
		SJ1, SJ2, SJ3		SJ	3
MC34063		U1	SO8	MC34063	1
NOKIA6100_ LCD		U\$1	BTB	NOKIA6100_ LCD	1
LCD		U\$2	LCD	LCD	1